
SMALL KIT FOR BIFOLDING SWING GATES





www.automaticgatesolutions.com.au







What to consider before installing a swing gate

Whether in residential or industrial settings, the first thing to do is to make sure there's enough space within the manoeuvre area to install a swing gate.

Why choose a bifolding swing gate

A bifolding swing gate is the ideal choice when there's not enough room for a 1- or 2-leaf swing gate.

HI-MOTIONS has designed a range of accessories for swing gates installed in industrial, commercial and residential settings.


This kit – designed and developed for leaves measuring up to **2 m** and weighing up to **200 kg** – consists of a side bracket and a central rod to connect the two leaves.

Why choose HI-MOTIONS systems

- These systems adapt to any situation or setting
- The galvanised steel accessories allow you to make accurate adjustments, thus making installation easier



вазіс кіт 500.В00		Â		56
		R I I B		
2 m $2 m$				끃
200 kg 200 kg	Use limitations may change depending on the hinges and bolt-on bearing hinges used	Α	Adjustable connecting rod	1
		В	Adjustable pivot bracket	1
		С	Joint bracket	2





Pipes used to make the spacer:

- 28x2 mm (square or round)
- 30x3 mm (square or round)
- 35x4 mm (square or round)
- 1" sch 40 (Ø 33,4x3,38) (square or round)

